

## BODY CAMERA SPECIFICATION OF SOP-15

Product Image



### 2. Mainfeature:

1. Support h.265
2. Lower power consumption, support 8hours' video recording
3. Sensor : 4M pixel 1/3"CMOS Sensor
4. Max video resolution: 2560x1440P/30fps
5. Max photo size:36M(6928\*5192)
6. One key video recording and one key audio recording
7. 2" LCD, 960\*240
8. Memory:16GB, 32GB,64GB, and 128GB;
9. Camera weight <=110g

### 三. Parameter:

<b>Basic Parameter</b>	
Model	SOP-15
CPU	NTK 675
Sensor	OV4689 1/3"CMOS Sensor 4M pixel
DDR3	DDR3 1GB
LENS	FOV=134° HD wide-angle lens H=105°, V=82°
LCD Screen	2.0" LCD 960*240 pixel
<b>Video</b>	
Lens angle	Horizon angle $\geq 105^\circ$
Video resolution	2560x1440P/30fps,2304x1296P/30fps,1920x1080P/30fps ,1440x1080 P/30fps,1280X720P/30fps,848x480P/30fps,720x480P/30fps
Video format	MP4
Video type	H.264/H.265
Frame rate	2.5-10M bps
One key recording	Video recording and audio recording
Pre-record	time $\geq 5$ s
Post-record	Support 30mins maximum
Video clip	5mins/10mins/15mins/30mins
Photo capture in video	support
Stamp	Support 7bit device ID and 6bit police ID,and time/date stamp
Motion detection	Support
Video Recycle	Support
<b>Photo</b>	
Photo size	36M(6928*5192)/32M(7600*4275)/21M(6144*3456)/16M(5336*3000)/12M(4608*2592)/10M(4384*2466)/8M(3456*1944)/5M(3008*1688)
Photo type	JPG
Continuous Photo	Support 2/3/5/10/20 pictures
Timer	Support 5/10seconds
<b>Audio</b>	
Audio format	AAC
Frame rate	256k bps
<b>Playback</b>	
Fast forward	2X,4X,8X
Fast backward	2X,4X,8X
Slide show	Support
Brightness of LCD	$\geq 250$ LMX
Power saver	Support 30 seconds/1min/3min/5min
<b>Battery</b>	
type	Build in 3200mAh Li-ion
Charging time	4.5 hours
Recording time	$\geq 9$ hours (1920*1080P/30fps H.264 )
Power indicate	Support
Low power	Video and beep warning
<b>Others</b>	
Night vision	$\geq 3$ M

Night vision mode	Auto/manual
Important mark on video	support
One key recording	support
Voice broadcast	support
GPS	Build-in(optional)
G-SENSOR	Support(optional)
Motor	Build-in
Auto power off	1min/2min/3min/5min/10min
Password protection	support
Memory	32gb, up to 128gb
Data output	MINI USB2.0
Charger	5V/1A
Working indicator	On/off
Microphone	42dB -/2dB
Speaker	Build-in 8ohm 1W
Language	English, Chinese, and OEM
Size	84mm*55mm*28.8mm
Weight	≤110g
Working temperature	-20°C—55°C
Storage temperature	-40—80°C
Drop Level	2meters
Waterproof level	IP67
Certificate	CE, ROHS, EMA, FCC and etc..
Accessories	1.Usb cable, 2.user manual, 3.metal clip, 4.USB charger
Optional accessories	1.single charging dock 2.external mini camera

### Optional Accessories:

1. Shoulder Mount



2.Car Mount



3. Dock Station(10units)



4. Dock Station(20units)

